

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	8	((("6205557") or ("D441770") or ("6665730") or ("6829338") or ("6977995") or ("5864563") or ("5915013") or ("6205557") or ("6377674")).PN.	US-PGPUB; USPAT	OR	OFF	2006/09/01 11:19
L4	1	("6615236").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/01 11:19
L22	611	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:28
L23	178	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:28
L24	21	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same server same (availab\$4 unavailable)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:30
L25	60	(sip session adj initiation adj protocol) same (time interval period) same (terminat\$3) same (availab\$4 unavailable)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:31
L26	39	25 not 24	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:30
L27	178	(sip session adj initiation adj protocol) same (time interval period) with (terminat\$3 shut\$down)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:32
L28	63	(sip session adj initiation adj protocol) same (time interval period) with (terminat\$3 shut\$down) same server	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:33
L29	51	28 not 25	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:34
L30	3	(sip session adj initiation adj protocol) same (time interval period) with (terminat\$3 shut\$down) with grace\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:34
L31	3	(sip session adj initiation adj protocol) and (time interval period) with (terminat\$3 shut\$down) with grace\$4	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:45

EAST Search History

L32	26	29 and @ad < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:45
L33	18	(sip session adj initiation adj protocol) and (time interval period) with (terminat\$3 shut\$down) with wait	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:45
L34	31	(sip session adj initiation adj protocol) and (time interval period) with (terminat\$3 shut\$down) with wait\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:45
L35	19	34 and @ad < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 13:48
L36	75	27 and @ad < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 14:13
L37	20	(US-20020102999-\$ or US-20020086665-\$ or US-20030005280-\$ or US-20030217099-\$ or US-20030051037-\$ or US-20020129093-\$ or US-20040083264-\$ or US-20030225875-\$ or US-20040177353-\$ or US-20030014544-\$ or US-20030046405-\$ or US-20030046404-\$ or US-20020169887-\$ or US-20020145975-\$ or US-20020114282-\$ or US-20020112073-\$ or US-20030149774-\$).did. or (US-6615236-\$ or US-6104868-\$ or US-6477150-\$).did.	US-PGPUB; USPAT	OR	ON	2006/09/01 13:56
L38	15	37 and (period interval stage phase time\$out)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:05
L39	2	(graceful\$3) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3) same session	US-PGPUB; USPAT	OR	ON	2006/09/01 14:07
L40	54	(graceful\$3 retention adj time) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:13
L41	8	("5594893").URPN.	USPAT	OR	ON	2006/09/01 14:12
L42	102	(graceful\$3 retention adj time grace adj period) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:14
L43	48	42 not 40	US-PGPUB; USPAT	OR	ON	2006/09/01 14:13
L44	30	43 and @ad < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 14:24
L45	14	(graceful\$3 retention adj time grace adj period) with (terminat\$3 shut\$down) with (timer time\$out period interval count\$3) same (session connection)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:23
L46	1	(graceful\$3 retention adj time grace adj period) with (timer time\$out period interval count\$3) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:24
L47	434	(graceful\$3 retention adj time grace adj period timer time\$out period interval count\$3) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:24
L48	138	(graceful\$3 retention adj time grace adj period timer time\$out) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:24

EAST Search History

L49	68	(graceful\$3 retention adj time grace adj period time\$out) with (sip session adj initiation)	US-PGPUB; USPAT	OR	ON	2006/09/01 14:24
L50	43	49 and @ad < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 14:24
L51	1	("5737607").PN.	US-PGPUB; USPAT	OR	OFF	2006/09/01 17:21
L52	473	(disassembl\$3 assembl\$3) with device near2 code	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 17:22
L53	38	(disassembl\$3 assembl\$3) with device adj code	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/09/01 17:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040205190"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:14
S2	2854	session adj initiation adj protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:15
S3	92	session adj initiation adj protocol same (period time interval) same (reject\$4 refus\$4 terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:22
S4	92	S3 and @py < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:18
S5	92	S3 and @py < "04142003"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:17
S6	27	S3 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:22
S7	5	("6421674").URPN.	USPAT	OR	ON	2005/06/30 16:20
S8	149	session adj initiation adj protocol same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:25
S9	57	S8 not S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:22
S10	14	S9 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:26
S11	2225	(sip session adj initiation adj protocol) same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:26

EAST Search History

S12	244	(sip session adj initiation adj protocol) same (period time time\$out interval) same (reject\$4 refus\$4 terminat\$4 end\$3) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:31
S13	95	S12 not S8	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:26
S14	22	S13 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:35
S15	249	(sip session adj initiation adj protocol) same (period time time\$out interval) same (unavailabl\$5 reject\$4 refus\$4 terminat\$4 end\$3) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:34
S16	5	S15 not S12	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:32
S17	88	(sip session adj initiation adj protocol) same (period time time\$out interval expir\$3) same invit\$3 near3 message same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:40
S18	49	S17 not S15	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:35
S19	12	S18 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 17:07
S20	2	(sip session adj initiation adj protocol) same (time\$out expir\$5) same invit\$3 near3 message same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:44
S21	0	(sip session adj initiation adj protocol) with (stop\$4 near support\$4) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:45
S22	2	(sip session adj initiation adj protocol) with (graceful near terminat\$6) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:46

EAST Search History

S23	23	(sip session adj initiation adj protocol) with ((stop\$4 terminat\$6 end\$3)) near3 support same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:50
S24	4	(sip session adj initiation adj protocol) with server with (unavailabl\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:52
S25	1	(sip session adj initiation adj protocol) with server near2 shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:53
S26	2	(sip session adj initiation adj protocol) with server with shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:54
S27	1	(sip session adj initiation adj protocol) same server near3 shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:55
S28	2	(sip session adj initiation adj protocol) same server same shut\$down	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:55
S29	391	(sip session adj initiation adj protocol) same server same (shut\$down terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 16:55
S30	35	(sip session adj initiation adj protocol) same server same (shut\$down terminat\$4) near5 service	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 17:05
S31	21	(sip session adj initiation adj protocol) same server same (unavailable not near available)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 17:07
S32	87	(sip session adj initiation adj protocol) same (unavailable not near available)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 17:07
S33	31	S32 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/06/30 17:07

EAST Search History

S34	443	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/01 10:31
S35	2611	(709/227).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/01 10:31
S36	1384	(709/228).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/01 10:32
S37	14	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:34
S38	2	S34 and S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:32
S39	0	S37 and session with protocol with initiation	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:46
S40	5	S37 and session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:36
S41	3660	S35 or S36	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:36
S42	204	S41 and ((session adj initiation adj protocol) sip)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:43
S43	59	S42 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:44
S44	117	S41 and ((session adj initiation adj protocol) sip) same (end shut\$down terminat\$4 unavailable not adj available)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:44

EAST Search History

S45	35	S41 and ((session adj initiation adj protocol sip) same (end shut\$down terminat\$4 unavailable not adj available) same (time period interval)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:44
S46	12	S45 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:55
S47	196	(session adj initiation adj protocol sip) and ((server service) with (shut\$down terminat\$6 unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:55
S48	33	(session adj initiation adj protocol sip) same ((server service) with (shut\$down terminat\$6 unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:48
S49	16	("6477150").URPN.	USPAT	OR	ON	2005/07/01 10:53
S50	2	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj available) with (time interval period))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:55
S51	22	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj available))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:00
S52	6	S51 and @pd < "20030414"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 10:55
S53	37	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:02
S54	15	S53 not S51	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:01
S55	93	(session adj initiation adj protocol sip) same ((server service) with (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable no adj server out near2 service idle))	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:21
S56	56	S55 not S53	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:03

EAST Search History

S57	20	(session adj initiation adj protocol sip) same ((server service) with (test heartbeat status) near2 message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:13
S58	2	("6615236").URPN.	USPAT	OR	ON	2005/07/01 11:18
S59	61	("5303286" "5434907" "5634012" "5664009" "5680116" "5699359" "5732219" "5742763" "5745556" "5794039" "5802510" "5826039" "5832221" "5859898" "5864610" "5867494" "5867495" "5889774" "5907547" "5923659" "5930348" "5951638" "5953504" "5956391" "5958005" "5960416" "5999525" "6064653" "6069890" "6073160" "6078583" "6081518" "6084952" "6094525" "6118864" "6137869" "6144667" "6147975" "6151390" "6151629" "6157648" "6161008" "6167042" "6178181" "6188760" "6195697" "6201858" "6202081" "6215858" "6226289" "6233318" "6240391" "6253249" "6282270" "6292479" "6301609" "6333931" "6335927" "6335968" "6411705" "6453034").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/01 11:20
S60	442	(session adj initiation adj protocol sip) same (shut\$down unavailable not adj (available accessible attainable obtainable reachable) unattainable unobtainable unreachable no adj server out near2 service idle)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:21
S61	0	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:22
S62	128	server with (off\$line unavailable shut\$down) with (message notification event) with (time counter time\$stamp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:28
S63	10	server with (off\$line unavailable shut\$down) with (message notification event) with (time counter time\$stamp) same session	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:30
S64	26	server with (off\$line unavailable shut\$down) with graceful	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:37
S65	3	((("6,301,606") or ("6,345,316") or ("6,431,875"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/07/01 11:34
S66	30	server with (off\$line unavailable shut\$down terminat\$5) near2 graceful	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:37
S67	4	S66 not S64	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2005/07/01 11:38

EAST Search History

S68	299	monitor\$3 with key\$stroke	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/08/31 10:56
S69	139	S68 and @ad < ("19991116")	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/08/31 10:57
S70	0	monitor\$3 with key\$stroke same object with class	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/08/31 10:57
S71	15	monitor\$3 with key\$stroke and object with class	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/08/31 10:57
S72	7	S71 and @ad < ("19991116")	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/08/31 10:57